


**DS-DN5501W(UHK)**  
**LCD Display Wall-mounted Bracket**



- Solid steel structure, preventing screen bending or twisting
- Accurate Screen Positioning
- Expandable Pop-Out Mechanism
- Cold-rolled steel plate (SPCC)
- Fast Release Lock
- Secure Pop-Out Locking System
- Quick and easy installation
- Hydraulic or Push-Pull Video Wall Brackets
- Front maintenance


## ▪ Specification

General	
VESA	600 (H) mm × 400 (V) mm
Dimension (W × H × D)	736 mm × 684.5 mm × 65 mm (28.98" × 26.95" × 2.56")
Gross Weight	14 ± 0.5 Kg (30.86 ± 1.1 lb)
Net Weight	12.6 ± 0.5 Kg (27.78 ± 1.1 lb)
Default Parameters	
Color	Black
Material	Cold-rolled steel plate (SPCC)
Surface Treatment	Electrostatic spraying

## ▪ Available Model

DS-DN5501W(UHK)

## ▪ Dimension



## ▪ Accessory



DS-D2055LU-Y



DS-D2055LE-G



DS-D2055HR-G



DS-D2055HU-Y



DS-D2055LR-G



DS-D2055HE-G

# See Far, Go Further



[www.hikvision.com](http://www.hikvision.com)  
[support@hikvision.com](mailto:support@hikvision.com)

